






Page 1 of 7

3 Cable Roof Mount Multi-Band & GPS

GPSDM700/5800

698-960 / 1710-2170 / 2300-2700, 2400-2485/5150-5875 & GPS

Series: ANTENNA



All dimensions are in inches (mm)

Issue: 1821

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden







Page 2 of 7

3 Cable Roof Mount Multi-Band & GPS

GPSDM700/5800

698-960 / 1710-2170 / 2300-2700, 2400-2485/5150-5875 & GPS

Series: ANTENNA

ELECTRICAL	SPECIFICATIONS	
Frequency (GSM Cable)	698-960/1710- 2170/2300-2700	MHz
Frequency (WIFI Cable)	2400-2485/5150-5875	MHz
Frequency (GPS)	1575.42	MHz
Nominal Impedance	50	Ω
VSWR (GSM)	2.5:1	Max
VSWR (WIFI)	2:1	Max
Gain (GPS@3.3V)	28	dBi TYP
Gain (GPS@5.0V)	30	dBi TYP
Gain (GSM)	4.5	dBi TYP
Gain (WIFI)	6.5	dBi TYP
HPBW / Horizontal Plane (GSM & WIFI)	Omni	
HPBW / Vertical Plane (GSM, 698-960)	39	° TYP
HPBW / Vertical Plane (GSM, 1710-2700)	35	° TYP
HPBW / Vertical Plane (WIFI, 2400-2485)	22	° TYP
HPBW / Vertical Plane (WIFI, 5150-5875)	17	° TYP
Polarization: GPS	RHCP	
Polarization: GSM/WIFI	Linear Vertical	
Input voltage (GPS):	3.3-5.0	VDC
Current draw (GPS):	12	Ma
Noise figure (GPS):	1.3	dB
Power rating (GSM, 698-960)	100	W
Power rating (GSM, 1710-2700)	20	W
Power rating (WIFI, 2400-5875)	20	W
Connector transcr	As Doguestad	

Issue: 1821

Connector types:

ROHS

As Requested







Series: ANTENNA

Page 3 of 7

3 Cable Roof Mount Multi-Band & GPS

GPSDM700/5800

698-960 / 1710-2170 / 2300-2700, 2400-2485/5150-5875 & GPS

Cable type: (GSM & WIFI) RG-58 UD or equivalent

Cable type: (GPS) RG-174

Length: As requested FEET

MECHANICAL SPECIFICATIONS

Plastic radome: PC/ABS, UV protected

Color: Black

Ingress Protection: IP65

Weight 470 g

Overall length: See page 1 INCHES

Cable retention: Pull off: 30 N

Strain relief 30N, applied to cable along axis and perpendicular to cable entry.

Fixing system: Roof mount

ENVIRONMENTAL SPECIFICATIONS

Operating temperature -40/+85 ° C

Thermal shock MIL-STD 810G, section 503.4 3 cycles

Humidity: MIL-STD 810G, method 507.4 – 93% @ 30° C

Vibration MIL-STD 810G, section 514.6 5-500 Hz

Drop test: Minimum of one drop per axis – 3 drops 1 meter

E-Mark certification

Compliant with ECE R118 Rev.2-2012, E-Mark certificated.

The test is conducted accordance with ECE R118 Rev.2-2-12 Uniform technical prescriptions concerning the burning behavior and/or the capability to repel fuel or lubricant of materials used in the construction of certain categories of motor vehicles clause 6.2.6.

Test method based on ISO 6722-1:2011 Road vehicles --60 V and 600 V single-core cables -- Dimensions, test methods and requirements Clause 5.22 Resistance of flame propagation.

Issue: 1821









Page 4 of 7


3 Cable Roof Mount Multi-Band & GPS

GPSDM700/5800


698-960 / 1710-2170 / 2300-2700, 2400-2485/5150-5875 & GPS

Series: ANTENNA

Charts – Measured with 6" cable and on 42.0" diameter ground plane Vertical Plane (GSM)



Vertical Plane (GSM)



Issue: 1821

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden








Page 5 of 7

3 Cable Roof Mount Multi-Band & GPS


GPSDM700/5800

698-960 / 1710-2170 / 2300-2700, 2400-2485/5150-5875 & GPS

Series: ANTENNA



Vertical Plane (GSM)



Issue: 1821

ROHS

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION







Page 6 of 7


3 Cable Roof Mount Multi-Band & GPS

GPSDM700/5800


698-960 / 1710-2170 / 2300-2700, 2400-2485/5150-5875 & GPS

Series: ANTENNA

Vertical Plane (WIFI)



Vertical Plane (WIFI)



Issue: 1821

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden







Page 7 of 7


3 Cable Roof Mount Multi-Band & GPS

GPSDM700/5800


698-960 / 1710-2170 / 2300-2700, 2400-2485/5150-5875 & GPS

Series: ANTENNA





VSWR (WIFI)



Issue: 1821

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden