










# Stealth Blade 5G Blade Antenna

SB617-7125G0400 - 617 to 7125 MHz



## Features & Applications:

-  4G LTE / 5G-FR1 applications
-  WiFi 6E/7
-  Public Safety
-  IoT – Vending, Smart Metering, EV-Charging
-  Access Points
-  Vehicular (window, dashboard, visor)
-  Data transmission
-  IP67 for Indoor / Outdoor application
-  400mm cable with straight SMA(M) as standard

## ELECTRICAL SPECIFICATIONS @ 25°C

### General Specifications

Antenna type	Nominal Impedance	Polarization	Radiation pattern	Power withstanding	DC Ground
Dipole	50Ω	Linear	Omni	3W	No

### SB617-7125G0400 Antennas: 617 – 7125MHz

Frequency (MHz)	617-960	1710-2700	3300-4200	4400-5000	5150-7125
Return Loss	<-6	<-6	<-6	<-6	<-6
Avg. Peak Gain (dBi)	3.5	5.5	6.5	5.2	3
Avg. Efficiency (%)	55	65	60	55	50

## MECHANICAL SPECIFICATIONS

### SB617-7125G0400

Dimension with gasket (Length x Width x Height)	Material	Color	Fixing System
116x 16.8 x 2.0 mm (4.57 x 0.66 x 0.08 inches)	PCB+Tube	Black	Adhesive (3M VHB)
Wireless Technology	Cable Length	Cable Type	Connector Type
617-7125 MHz	1.31FT (400mm)	RG 174	SMA (Male)

## ENVIRONMENTAL SPECIFICATIONS

### SB617-7125G0400


Operating Temperature	Storage Temperature	RoHS Compliant
-40 / +85° C	-30 / +70° C	Yes

# Stealth Blade 5G Blade Antenna

SB617-7125G0400 - 617 to 7125 MHz

## Mechanical Drawing

SB617-7125G0400






**Dimensions:** mm(inches)

Unless otherwise specified, all tolerances are  $\pm 0.5\text{mm}(\pm 0.020'')$

### Charts-Return Loss, Efficiency and Peak Gain

SB617-7125G0400







# Stealth Blade 5G Blade Antenna

SB617-7125G0400 - 617 to 7125 MHz

## Radiation Pattern

SB617-7125G0400







# Stealth Blade 5G Blade Antenna

SB617-7125G0400 - 617 to 7125 MHz

## Radiation Pattern

SB617-7125G0400



# Stealth Blade 5G Blade Antenna

SB617-7125G0400 - 617 to 7125 MHz

## PACKAGING

**SB617-7125G0400**

One antenna packed in one PE bag, 100 antennas(TBD) packed in one box.

### Notes:

1. Please contact sales for availability, lead time, and/or any special requests. Samples available upon request.

### For More Information:

[Americas - antennas.us@pulseelectronics.com](mailto:antennas.us@pulseelectronics.com) | [Europe – antennas.eu@pulseelectronics.com](mailto:antennas.eu@pulseelectronics.com) | [Asia – antennas.as@pulseelectronics.com](mailto:antennas.as@pulseelectronics.com) | [Questions?](#) +1-800-ANTENNA  
Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright , 2020. Pulse Electronics, Inc. All rights reserved.  
Company address: Pulse Electronics, a YAGEO Company, 15255 Innovation Drive, Suite #100, San Diego, CA 92128.

***'YAGEO Corporation and its affiliates do not recommend the use of commercial, automotive, and/or COTS grade products for high reliability applications or manned space flight.'***