

#### **TECHNICAL DATA SHEET**

## **Description:**

433MHz Swivel Stick Dipole - SMA-M

PART NUMBER: W1076



#### Features:

- Frequency 430-435MHz
- · Gain -4dBi
- Length 108mm (straight)
- Connector SMA-Male
- IP40
- RoHS Compliant

## **Applications:**

- 433MHz ISM band radios
- Indoor use
- Remote controls
- · Surveillance, Monitoring
- Industry automation
- IoT

All dimensions are in mm / inches

Issue: 2044

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



#### **TECHNICAL DATA SHEET**

## **Description:**

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

# Series: Stick Antenna

#### **ELECTRICAL SPECIFICATIONS**

Antenna Type Dipole

Frequency 430-435MHz

Nominal Impedance 50  $\Omega$ 

VSWR 1.5:1(MAX)

Radiation Pattern Omni

Gain -4dBi(Min)

Efficiency 15%(Min)

Polarization Vertical

Power Withstanding 5W

#### **MECHANICAL SPECIFICATIONS**

Overall Length 108 mm

Weight 8.84 g

Antenna Color Black

Connector type SMA Male

#### **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature  $-40 \sim +85^{\circ}$  C Storage Temperature  $-40 \sim +85^{\circ}$  C

Ingress Protection IP40
RoHS Compliant Yes



#### **TECHNICAL DATA SHEET**


## **Description**:


433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

## Series: Stick Antenna

## **MECHANICAL DRAWING**








#### **TECHNICAL DATA SHEET**

## **Description**:

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

#### **TEST SETUP**



Test with a 37.5mm\*50mm ground plane in free space.



#### **TECHNICAL DATA SHEET**


## **Description**:

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

#### **CHARTS**

## VSWR vs Frequency







#### **TECHNICAL DATA SHEET**


## **Description**:

433MHz Swivel Stick Dipole - SMA-M


PART NUMBER: W1076

#### **CHARTS**

## Peak Gain



## **Radiation Efficiency**







## TECHNICAL DATA SHEET


## **Description**:


433MHz Swivel Stick Dipole – SMA-M


PART NUMBER: W1076

# CHARTS

## Radiation Pattern 2D









#### **TECHNICAL DATA SHEET**

**Description**:

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

#### **PACKAGING**

20PCS / PE Bag, 600PCS / Box

