





Patch Antenna
2.4GHz Patch Passive Antenna
BT25B0150



Features:

-  2400-2500 MHz
-  Cable, Adhesive tape

Applications:

-  2.4-2.5 GHz ISM Band radios
-  Wi-Fi, Bluetooth

Electrical specifications @ 25° C

Antenna type	Nominal Impedance	Polarization	Radiation pattern
Patch	50Ω	RHCP	Directional
Frequency (MHz)		2400-2500	
Return Loss (dB)		< -6	
Radiating Element Peak Gain (dBic)		> 3.5	
Avg. Efficiency (%)		> 60	

Mechanical Specifications


Dimension	Fixing method	Antenna Material	Connector Type	Cable Type
Length x Width x Height (w/o cable) 25mm*25mm*6.6mm / 0.98"x0.98"x0.26"	Adhesive Foam Rogers T=3.0mm	Ceramic+PCBA+Cable	I-PEX MHF	Ø1.37mm
Cable Length	Weight	RoHS- Compliant	Storage and operating Temperature	
150mm/5.91"	16.9 grams	Yes	-40°C to 85°C	

Notes:


1. The adhesive foam is in the same package as the antenna, which is an alternative assembly solution for the antenna.

Mechanical Drawing

BT25B0150



Double side adhesive foam included in the sale package as an alternative assembly option, foam dimensions are as the below.




All dimensions are in mm/inch

Test Setup


BT25B0150

- S-parameters, Gain and Efficiency measured with 150mm cable, using 70 x 70 mm metal backplate.
- Measured at Pulse Finland (MVG SG24L Chamber)




Return Loss (dB): 2400-2500 MHz

BT25B0150




Efficiency (%): 2400-2500 MHz

BT25B0150




Gain (dBic): 2400-2500 MHz

BT25B0150




Axial Ratio: 2400-2500 MHz

BT25B0150



Radiation Pattern: Azimuth Cut 90°



Packaging

BT25B0150

Antennas packed in tray and carton box.

- Each antenna wrapped in foam bag
- 240 pcs / carton box
- Carton box dimensions (mm): 405x300x180

For More Information:

[Americas - antennas.us@pulseelectronics.com](mailto:antennas.us@pulseelectronics.com) | [Europe – antennas.eu@pulseelectronics.com](mailto:antennas.eu@pulseelectronics.com) | [Asia – antennas.as@pulseelectronics.com](mailto:antennas.as@pulseelectronics.com) | [Questions?](#) +1-800-ANTENNA
Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright , 2020. Pulse Electronics, Inc. All rights reserved.
Company address: Pulse Electronics, a YAGEO Company, 15255 Innovation Drive, Suite #100, San Diego, CA 92128

YAGEO Corporation and its affiliates do not recommend the use of commercial, automotive, and/or COTS grade products for high reliability applications or manned space flight.'